

This is a kit that contains the following components: AlphaGuard PUMA DR - Resin Alphaguard PUMA DR - Powder



# SAFETY DATA SHEET

Category 2

#### 1. Identification

Product identifier: AlphaGuard PUMA DR - Resin Product Code: 351970DR800

#### Recommended use and restriction on use

Recommended use: Coatings Restrictions on use: Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

Tremco CPG Inc. - U.S. Roofing 3735 Green Road Beachwood OH 44122 US

Contact person: Telephone: Emergency telephone number: EH&S Department 216-292-5000 1-800-424-9300 (US); 1-613-996-6666 (Canada)

#### 2. Hazard(s) identification

#### **Hazard Classification**

#### Physical Hazards

Flammable liquids

#### **Health Hazards**

Serious Eye Damage/Eye Irritation	Category 2A
Skin sensitizer	Category 1

#### **Unknown toxicity - Health**

Acute toxicity, oral	2.75 %
Acute toxicity, dermal	2.75 %
Acute toxicity, inhalation, vapor	2.75 %
Acute toxicity, inhalation, dust	100 %
or mist	

#### **Unknown toxicity - Environment**

Acute hazards to the aquatic environment	2.75 %
Chronic hazards to the aquatic environment	100 %

#### **Label Elements**

Hazard Symbol:



Signal Word:	Danger
Hazard Statement:	Highly flammable liquid and vapor. Causes serious eye irritation. May cause an allergic skin reaction.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting/] equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace.
Response:	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see this label). Wash contaminated clothing before reuse. In case of fire: Use to extinguish.
Storage:	Store in well-ventilated place. Keep cool.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

## 3. Composition/information on ingredients

## Mixtures

Chemical Identity	CAS number	Content in percent (%)*	
Methyl methacrylate	80-62-6	50 - <100%	
* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.			

#### 4. First-aid measures



Rinse mouth thoroughly.			
Move to fresh air.			
Get medical attention if symptoms occur. Take off immediately all contaminated clothing. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.			
Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.			
s, acute and delayed			
No data available.			
No data available.			
attention and special treatment needed			
No data available.			
Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.			
tinguishing media			
Use fire-extinguishing media appropriate for surrounding materials.			
Avoid water in straight hose stream; will scatter and spread fire.			
Vapors may travel considerable distance to a source of ignition and flash back. Vapors may cause a flash fire or ignite explosively. Prevent buildup of vapors or gases to explosive concentrations.			
Special protective equipment and precautions for firefighters			
No data available.			
Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.			

# 6. Accidental release measures



Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning up:	Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.
Notification Procedures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take precautionary measures against static discharges. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities:	Store in a well-ventilated place. Store in a cool place.

## 8. Exposure controls/personal protection

#### **Control Parameters**

## Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Methyl methacrylate	TWA	50 ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	100 ppm	US. ACGIH Threshold Limit Values (2011)
	PEL	100 ppm 410 mg/m3	US. OSHA Table Z-1 Limits for Air
			Contaminants (29 CFR 1910.1000) (02 2006)

Chemical name	Туре	Exposure Limit Values	Source
Methyl methacrylate	TWA	50 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL	100 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Methyl methacrylate	TWA	50 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	STEL	100 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)



	Methyl methacrylate	TWA	50 ppm	205 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
	ropriate Engineering ontrols	limits a	ind minimize the	risk of inhala	actices. Observe occupational exposure ation of vapors and mist. Mechanical on may be required.
Indiv	vidual protection measur	es, such as	personal prote	ctive equipr	nent
	General information:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof ventilation equipment.			
	Eye/face protection:	Wears	afety glasses wi	th side shiel	ds (or goggles).
	Skin Protection Hand Protection:	Use s	uitable protective	e gloves if ris	k of skin contact.
	Other:	approp		of exposure.	otwear, and protective clothing . Contact health and safety professional ation.
R	espiratory Protection:		e of inadequate v upervisor.	entilation us	e suitable respirator. Seek advice from
H	ygiene measures:	using a		ontaminated	ood industrial hygiene practices. When work clothing should not be allowed out n skin.

## 9. Physical and chemical properties

#### Appearance

Physical state:	liquid
Form:	liquid
Color:	Colorless
Odor:	acrylic odor
Odor threshold:	0.05 ppm
pH:	No data available.
Melting point/freezing point:	-48 °C -54 °F
Initial boiling point and boiling range:	100.3 °C 212.5 °F
Flash Point:	11.5 °C 52.7 °F
Evaporation rate:	Slower than Ether
Flammability (solid, gas):	No
Upper/lower limit on flammability or explosi	ve limits
Flammability limit - upper (%):	12.5 %(V)
Flammability limit - lower (%):	2.1 %(V)
Explosive limit - upper (%):	No data available.



Explosive limit - lower (%):	No data available.
Vapor pressure:	38.7 hPa
Vapor density:	Vapors are heavier than air and may travel along the floor and in the bottom of containers.
Relative density:	0.94
Solubility(ies)	
Solubility in water:	Practically Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	< 1 mm2/s

## 10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Heat, sparks, flames.
Incompatible Materials:	Strong acids. Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates). Strong bases.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation: In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.

Skin Contact: May cause an allergic skin reaction.

**Eye contact:** Causes serious eye irritation.

Ingestion: May be ingested by accident. Ingestion may cause irritation and malaise.

#### Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.



#### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral Product:	Not classified for acute toxicity based on available data.
Specified substance(s): Methyl methacrylate	LD 50 (Rat): 7,900 mg/kg
Dermal Product:	Not classified for acute toxicity based on available data.
Specified substance(s): Methyl methacrylate	LD 50 (Rabbit): > 5,000 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Specified substance(s): Methyl methacrylate	LC 50 (Rat): 29.8 mg/l
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Specified substance(s): Methyl methacrylate	in vivo (Rabbit): irritating after 4/24h occluded exposure Experimental result, Weight of Evidence study
Serious Eye Damage/Eye Irritatio Product:	on No data available.
Respiratory or Skin Sensitization Product:	n No data available.
Carcinogenicity Product:	No data available.



IARC Monographs on the I No carcinogenic comp	Evaluation of Carcinogenic Risks to Humans: ponents identified
US. National Toxicology P No carcinogenic comp	rogram (NTP) Report on Carcinogens: ponents identified
US. OSHA Specifically Reg No carcinogenic comp	gulated Substances (29 CFR 1910.1001-1050): ponents identified
Germ Cell Mutagenicity	
In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Tox Product:	t <b>icity - Single Exposure</b> No data available.
Specific Target Organ Tox Product:	<b>icity - Repeated Exposure</b> No data available.
Aspiration Hazard Product:	No data available.
Other effects:	No data available.

## 12. Ecological information

## Ecotoxicity:

#### Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): Methyl methacrylate	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 130 mg/l Mortality
Aquatic Invertebrates Product:	No data available.



#### Chronic hazards to the aquatic environment:

Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	No data available.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (BC Product:	<b>F)</b> No data available.
Partition Coefficient n-octanol / w Product:	vater (log Kow) No data available.
Specified substance(s): Methyl methacrylate	Log Kow: 1.38
Mobility in soil:	No data available.
Other adverse effects:	No data available.
13. Disposal considerations	
Disposal instructions:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Contaminated Packaging:	No data available.
14. Transport information	

## TDG:

UN1247, METHYL METHACRYLATE MONOMER, STABILIZED, 3, PG II

## CFR / DOT:



#### UN1247, Methyl methacrylate monomer, stabilized, 3, PG II

#### IMDG:

UN1247, METHYL METHACRYLATE MONOMER, STABILIZED, 3, PG II

#### **Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

#### 15. Regulatory information

#### **US Federal Regulations**

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
Methyl methacrylate	1000 lbs.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Fire Hazard Immediate (Acute) Health Hazards

## SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

# SARA 304 Emergency Release Notification

Chemical IdentityReportable quantityMethyl methacrylate1000 lbs.

#### SARA 311/312 Hazardous Chemical Chemical Identity Threshol

Chemical IdentityThreshold Planning QuantityMethyl methacrylate10000 lbs

#### SARA 313 (TRI Reporting) <u>Chemical Identity</u> Methyl methacrylate

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

#### **US State Regulations**

#### US. California Proposition 65

No ingredient regulated by CA Prop 65 present.



#### US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity Methyl methacrylate

#### **US. Massachusetts RTK - Substance List**

<u>Chemical Identity</u> Methyl methacrylate

#### US. Pennsylvania RTK - Hazardous Substances

Chemical Identity Methyl methacrylate

#### US. Rhode Island RTK

Chemical Identity

Methyl methacrylate

#### International regulations

## Montreal protocol

not applicable

#### Stockholm convention

not applicable

#### **Rotterdam convention**

not applicable

#### Kyoto protocol

not applicable

#### VOC:

Regulatory VOC (less water and exempt solvent)	:	0 g/l
VOC Method 310	:	0.00 %



## Inventory Status:

Australia AICS:

Canada DSL Inventory List:

EINECS, ELINCS or NLP:

Japan (ENCS) List:

China Inv. Existing Chemical Substances:

Korea Existing Chemicals Inv. (KECI):

Canada NDSL Inventory:

Philippines PICCS:

US TSCA Inventory:

New Zealand Inventory of Chemicals:

Japan ISHL Listing:

Japan Pharmacopoeia Listing:

Mexico INSQ:

Ontario Inventory:

Taiwan Chemical Substance Inventory:

All components in this product are listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

All components in this product are listed on or exempt from the Inventory.

All components in this product are listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

All components in this product are listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

#### 16.Other information, including date of preparation or last revision



Revision Date:	05/25/2017
Version #:	1.0
Further Information:	No data available.
Disclaimer:	For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.



# SAFETY DATA SHEET

#### 1. Identification

Product identifier: Alphaguard PUMA DR - Powder Product Code: 351970DR800

#### Recommended use and restriction on use

Recommended use: Pigment Restrictions on use: Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

Tremco CPG Inc. - U.S. Roofing 3735 Green Road Beachwood OH 44122 US

Contact person: Telephone: Emergency telephone number: EH&S Department 216-292-5000 1-800-424-9300 (US); 1-613-996-6666 (Canada)

#### 2. Hazard(s) identification

#### Hazard Classification

#### **Health Hazards**

Skin sensitizer	Category 1
Carcinogenicity	Category 1A

#### **Unknown toxicity - Health**

Acute toxicity, oral	98.82 %
Acute toxicity, dermal	99.17 %
Acute toxicity, inhalation, vapor	100 %
Acute toxicity, inhalation, dust or mist	100 %

#### **Environmental Hazards**

Acute hazards to the aquatic Category 3 environment

#### **Unknown toxicity - Environment**

Acute hazards to the aquatic	99.52 %
environment	
Chronic hazards to the aquatic environment	100 %

## Environmental Hazards

Acute hazards to the aquatic	Category 3
environment	



Acute hazards to the aque environment	uatic 99.52 %	
Chronic hazards to the a environment	quatic 100 %	
Label Elements		
Hazard Symbol:		
Signal Word:	Danger	
Hazard Statement:	May cause an allergic skin reaction. May cause cancer. Harmful to aquatic life.	
Precautionary Statements		
Prevention:	Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment.	
Response:	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. Specific treatment (see this label). Wash contaminated clothing before reuse.	
Storage:	Store locked up.	
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.	
Hazard(s) not otherwise classified (HNOC):	None.	

## 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	50 - <100%



Calcium Carbonate (Limestone)	1317-65-3	10 - <20%
Triphenyl phosphate	115-86-6	0.1 - <1%
Dibenzoyl Peroxide	94-36-0	0.1 - <1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures		
Ingestion:	Rinse mouth thoroughly.	
Inhalation:	Move to fresh air.	
Skin Contact:	Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.	
Eye contact:	Rinse immediately with plenty of water.	
Most important symptoms/effects, acute and delayed		
Symptoms:	No data available.	
Hazards:	No data available.	
Indication of immediate medical attention and special treatment needed		
Treatment:	No data available.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters		
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
6. Accidental release measure	S	



Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning up:	Collect spillage in containers, seal securely and deliver for disposal according to local regulations.
Notification Procedures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	Do not handle until all safety precautions have been read and understood.

**Precautions for safe handling:** Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust.

Conditions for safe storage,	Store locked up.
including any	
incompatibilities:	

#### 8. Exposure controls/personal protection

#### **Control Parameters**

#### **Occupational Exposure Limits**

Chemical Identity	Туре	Exposure Limit Values	Source
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values (2011)
Crystalline Silica (Quartz)/ Silica Sand - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) (03 2016)
	OSHA_AC T	0.025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)
Calcium Carbonate (Limestone) - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Calcium Carbonate (Limestone) - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Triphenyl phosphate	TWA	3 mg/m3	US. ACGIH Threshold Limit Values (2011)
	PEL	3 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Dibenzoyl Peroxide	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (2011)
·	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)



Chemical name	Туре	Exposure Limit Values	Source
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.1 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Calcium Carbonate (Limestone) - Total dust.	STEL	20 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Calcium Carbonate (Limestone) - Respirable fraction.	TWA	3 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Calcium Carbonate (Limestone) - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)

#### Appropriate Engineering Controls

Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

#### Individual protection measures, such as personal protective equipment

General information:	Use personal protective equipment as required.
Eye/face protection:	Wear goggles/face shield.
Skin Protection Hand Protection:	Use suitable protective gloves if risk of skin contact.
Other:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.

#### 9. Physical and chemical properties

#### Appearance

Physical state:	solid
Form:	Powder
Color:	Grey



Odor:	Odorless
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	No data available.
Evaporation rate:	No data available.
Flammability (solid, gas):	No
Upper/lower limit on flammability or explosi-	ve limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	1.3
Solubility(ies)	
Solubility in water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

## 10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## 11. Toxicological information

Information on likely routes of e Inhalation:	xposure In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin Contact:	May cause an allergic skin reaction.
Eye contact:	Eye contact is possible and should be avoided.



Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.
Symptoms related to the physical, chemical and toxicological characteristics	
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.
Information on toxicological effects	
Acute toxicity (list all possible	routes of exposure)
Oral Product:	Not classified for acute toxicity based on available data.
<b>Specified substance(s):</b> Triphenyl phosphate	LD 50 (Rat): > 20,000 mg/kg
Dibenzoyl Peroxide	LD 50 (Rat): > 5,000 mg/kg
Dermal Product:	Not classified for acute toxicity based on available data.
<b>Specified substance(s):</b> Triphenyl phosphate	LD 50 (Rabbit): > 10,000 mg/kg
Inhalation Product:	
<b>Specified substance(s):</b> Triphenyl phosphate	LC 50 (Rat): > 200 mg/l
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Specified substance(s):	



Triphenyl phosphate	in vivo (Rabbit): Not irritant Experimental result, Key study
Dibenzoyl Peroxide	Irritating in vivo (Rabbit): Not irritant Experimental result, Key study
Serious Eye Damage/Eye Irritati Product: Specified substance(s):	<b>on</b> No data available.
Dibenzoyl Peroxide	Rabbit, 1 - 48 hrs: Irritating
Respiratory or Skin Sensitizatio Product:	n No data available.
Carcinogenicity Product:	No data available.
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:	
Crystalline Silica (Quartz)/ Silica Sand	Overall evaluation: Carcinogenic to humans.
<ul> <li>US. National Toxicology Program (NTP) Report on Carcinogens: Crystalline Silica Known To Be Human Carcinogen. (Quartz)/ Silica Sand</li> <li>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified</li> </ul>	
Germ Cell Mutagenicity	
In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxicity - Product:	Single Exposure No data available.
Specific Target Organ Toxicity - Product:	Repeated Exposure No data available.



Aspiration Hazard	
Product:	No data available.

Acute hazards to the aquatic environment:

Other effects:

No data available.

### 12. Ecological information

#### **Ecotoxicity:**

Fish Product:	No data available.
Specified substance(s): Triphenyl phosphate	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 0.7 - 1.4 mg/l Mortality
Aquatic Invertebrates Product:	No data available.
Specified substance(s):	
Triphenyl phosphate	LC 50 (Water flea (Daphnia magna), 48 h): 1 mg/l Mortality LC 50 (Opossum shrimp (Americamysis bahia), 96 h): > 0.18 - 0.32 mg/l Mortality
Chronic hazards to the aquatic environment:	

#### Fish **Product:** No data available. Specified substance(s): Triphenyl phosphate NOAEL (Pimephales promelas, 30 d): 0.087 mg/l Experimental result, Supporting study NOAEL (Oncorhynchus mykiss, 90 d): >= 0.0014 mg/l Experimental result, Supporting study LC 50 (Oncorhynchus mykiss, 4 d): 0.32 mg/l Experimental result, Key study LC 50 (Oncorhynchus mykiss, 96 h): 0.31 mg/l Experimental result, Key study LOAEL (Oncorhynchus mykiss, 30 d): 0.055 mg/l Experimental result, Key study **Aquatic Invertebrates** Product: No data available. **Toxicity to Aquatic Plants** Product: No data available.



#### Persistence and Degradability

Biodegradation Product:	No data available.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (BC Product:	<b>CF)</b> No data available.
Specified substance(s): Triphenyl phosphate	Rainbow trout,donaldson trout (Oncorhynchus mykiss), Bioconcentration Factor (BCF): 132 - 364 (Flow through)
Partition Coefficient n-octanol / v Product:	<b>vater (log Kow)</b> No data available.
Specified substance(s): Triphenyl phosphate	Log Kow: 4.59
Dibenzoyl Peroxide	Log Kow: 3.46
Mobility in soil:	No data available.
Other adverse effects:	Harmful to aquatic organisms.
13. Disposal considerations	
Disposal instructions:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Contaminated Packaging:	No data available.
14. Transport information	

## TDG:

Not Regulated

## CFR / DOT:

Not Regulated

#### IMDG:

Not Regulated



## 15. Regulatory information

#### **US Federal Regulations**

- TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) None present or none present in regulated quantities.
   US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
  - None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> <u>Reportable quantity</u>

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

## SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

#### SARA 304 Emergency Release Notification

Chemical IdentityReportable quantityTriphenyl phosphateDicyclohexyl phthalate

#### SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Crystalline Silica (Quartz)/	10000 lbs
Silica Sand	
Calcium Carbonate	10000 lbs
(Limestone)	
Triphenyl phosphate	10000 lbs
Dibenzoyl Peroxide	10000 lbs

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) None present or none present in regulated quantities.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

#### **US State Regulations**

#### US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Crystalline Silica (Quartz)/ Carcinogenic. 09 2011 Silica Sand



#### US. New Jersey Worker and Community Right-to-Know Act

#### **Chemical Identity**

Crystalline Silica (Quartz)/ Silica Sand Calcium Carbonate (Limestone)

#### **US. Massachusetts RTK - Substance List**

#### **Chemical Identity**

Crystalline Silica (Quartz)/ Silica Sand Calcium Carbonate (Limestone)

#### US. Pennsylvania RTK - Hazardous Substances

#### Chemical Identity

Crystalline Silica (Quartz)/ Silica Sand Calcium Carbonate (Limestone)

#### US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

#### International regulations

#### Montreal protocol

not applicable

#### Stockholm convention

not applicable

#### Rotterdam convention

not applicable

#### Kyoto protocol

not applicable

#### VOC:

Regulatory VOC (less water and exempt solvent)	:	0 g/l
VOC Method 310	:	0.00 %



## Inventory Status:

Australia AICS:

Canada DSL Inventory List:

EINECS, ELINCS or NLP:

Japan (ENCS) List:

China Inv. Existing Chemical Substances:

Korea Existing Chemicals Inv. (KECI):

Canada NDSL Inventory:

Philippines PICCS:

US TSCA Inventory:

New Zealand Inventory of Chemicals:

Japan ISHL Listing:

Japan Pharmacopoeia Listing:

Mexico INSQ:

Ontario Inventory:

Taiwan Chemical Substance Inventory:

All components in this product are listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

All components in this product are listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

All components in this product are listed on or exempt from the Inventory.

All components in this product are listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

All components in this product are listed on or exempt from the Inventory.

All components in this product are listed on or exempt from the Inventory.

All components in this product are listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

#### 16.Other information, including date of preparation or last revision



Revision Date:	05/25/2017
Version #:	1.0
Further Information:	No data available.
Disclaimer:	For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.